

TECHNIQUE AND TECHNOLOGY OF SILICATES

INTERNATIONAL JOURNAL OF BINDERS, CERAMICS, GLASS AND ENAMELS

Vol. 25, no. 3

July – September, 2018

Article 1

Lukin E. S., Popova N. A., Pavlyukova L. T., Kulikov N. A.

The most important regularities in technology of technical ceramics

Lukin E. S., Popova N. A., Pavlyukova L. T., Kulikov N. A., D. Mendeleev University of Chemical Technology of Russia, Moscow, Sannikova S. N., JSC «Kompozit», Korolev city, Moscow reg., Russia

Keywords: nanopowder, dispersity, crystal growth, lattice parameters, sintering, microstructure, transparent ceramics

Abstract

The most important regularities of the technology of ceramic materials established on the basis of numerous studies are given. These regularities manifest themselves at various stages of the technological process of manufacturing ceramics and include: the phenomena of inheritance of the structure of the previous phase, the features of crystal growth in high-temperature heating, primarily in sintering, the dependence of the growth of crystals on the changes in the parameters of the crystal lattice in the formation of solid solutions, especially the sintering of transparent ceramics, when the processes of removal of porosity and crystal growth are separated. All these regularities are interrelated and completely determined by the structure, dispersion, water and composition of the powders of the starting material.

References

1. New G-E ceramic transmits light, processes great strength, resists extremely high temps // *Ceram. Ind.* 1959, vol. 73, no. 4, pp. 57–59.
2. Bakunov V. S., Lukin E. S. Osobennosti tekhnologii vysokoplotnoj-tekhnicheskoj keramiki; rost kristallov pri spekanii [Particulars of the technology of high-density technical ceramics. Crystal growth during sintering] *Steklo I keramika*, 2008, no. 8, pp. 15–21 (in Russian).
3. Lukin E. S. Sovremennaya vysokoplotnaya oksidnaya keramika s reguliruemoj mikrostrukturoj. CHast' II. Obosnovanie principov vybora modificiruyushchih dobavok, vliyayushchih na stepen' spekaniya oksidnoj keramiki [Modern high-density oxide ceramics with controlled microstructure. Part II. Substantiation of the choice of modifying additives that affect the degree of sintering of oxide ceramics] *Refractories and technical ceramics*, 1996, vol. 37, no. 3–4, pp. 109–119 (in Russian).
4. Lukin E. S., Tarasovskii V. P. Titanat alyuminiya – metody polucheniya, mikrostruktura, svojstva [Aluminum titanate - method of production, microstructure and properties] *Refractories*, 1985, vol. 26, no. 5–6, pp. 285–294 (in Russian).

Article 2

Anikanova T. V., Rakhimbayev Sh. M., Pogromsky A. S.

Comparative efficacy of cellular concrete different composition and perspectives of their application

Anikanova T. V., Rakhimbayev Sh. M., Pogromsky A. S. Belgorod state technological University V. G. Shukhov (BSTU named V. G. Shukhov)

Keywords: foam concrete, aerated concrete, brand strength, durability, weather resistance

Abstract

The paper provides a comparative analysis of the main characteristics of foam concrete of normal hardening and aerated concrete of autoclave hardening. It is shown that foam concrete is superior to aerated concrete not only in economic terms, but also in operational.

References

1. Ovchinnikova V. P. Novye-perspektivy-primeneniya-penobetonov [New prospects for the use of foam concrete] *Cement I ego primenenie* .– 2001.– No. 4.– pp. 38–39 (in Russian).

2. Foxes V. I., Ocaikov K. A., Vylegzhanin V. P., Pinsker V. A. Ehffektivnost primeneniya yacheistykh betonov v stroitelstve Rossii [Efficiency of application porous concrete in the construction of Russia] *Stroitelnye materialy* –2004. – No. 3.– pp. 7–8 (in Russian).
3. Ukhova T. A. Nastoyashchee i budushchee yacheistykh betonov v Rossii [Present and future of cellular concrete in Russia] *Stroitelnyj zhurnal. Ves beton* URL:http://www.concreteunion.ru/articles/cellular_concrete.php?ELEMENT_ID=5510 (date of circulation: 10.03.2011).
4. Sakharov G. P. Yacheistye betony v postkrisisnyj period [Cellular concrete in the post-crisis period] *Nauchno- prakticheskij internet- zhurnal "Nauka. Stroitelstvo. Obrazovanie"*. URL: <http://www.nso-journal.ru> (05.2011).
5. Forum "Kak postroit dom, dachu, garazh,banyu,besedku [Forum "How to build a house, cottage, garage, bath, gazebo] URL: <http://stroim-svoi-dom.ru/materialy/yacheisty-beton-gazobeton-i-penobeton-chto-luchshe.html>.
6. Forum "Vse pro stroitelstvo domov" [Forum "All about the construction of houses] URL: <http://www.mukhin.ru/beton>.
7. Dock L. A. Aerated concrete and foam concrete: similarities and differences. URL: <http://interesko.info/gazobeton-i-penobeton-sxodstva-i-otlichiya/>
8. SP-15-13330-2012. *Kamennye i armokamennye konstrukcii aktualiziro vannaya redakciya SNIP-ii-22-8* [SP 15.13330.2012 Masonry and reinforced masonry structures. Updated edition SNiP II-22-81*] Moscow: Ministry of Regional Development, 2012.– 74 p.
9. *Rossiya v cifrah, 2017. Krat stat .sb* [Russia in numbers]. 2017: Krat. stat. SB. / Rosstat. M., 2017. 511 p.
10. Volginskiy A. V., Burov Y. S., Kolokolnikov, V. S. *Mineralnye vyazhushchie veshchestva (tekhnologiya i svoystva)* [Mineral binders (technology and properties)] M.: Stroyizdat, 1979.– 476 p (in Russian).
11. Bautina E. V. *Ocenka sostoyaniya yacheistogo silikatnogo betona v ograzhdayushchih konstrukciyah zhilyh zdaniy s dlitelnyim srokom ehkspluatatsii: dis kand tekhn nauk* [Assessment of the state of cellular silicate concrete in heating structures of residential buildings with a long term of operation: autoref. dis. ... kand. Techn. Sciences] Voronezh: VGASU, 2006. – 26 p (in Russian).
12. Anikanova T. V., Rakhimbaev Sh. M., Kataeva M. V. K voprosu o mekhanizme uglekislotnoj korrozii stroitelnykh materialov [On the mechanism of carbon dioxide corrosion of building materials] *Fundamental research*, 2015.– No. 5. CH1. S. 19 – 26 (in Russian).
13. Butt Y. M., Kvatbaev K. K. *Dolgovechnost avtoklavnykh silikatnykh betonov* [Durability of autoclaved lime-sand concrete] M.: Stroyizdat, 1966.– 216 p (in Russian).
14. Rakhimbaev Sh. M., Anikanova T. V. Teoreticheskie aspekty uluchsheniya teplotekhnicheskikh harakteristik poristykh sistem [Theoretical aspects of improvement of thermal characteristics of porous systems] *Building materials*. 2007.– No. 4. –pp. 26-29 (in Russian).
15. Rakhimbaev Sh. M., Anikanova T. V. O vliyaniy razmera i formy por na teplotekhnicheskije harakteristiki yacheistykh betonov [On the influence of pore size and shape on the thermal characteristics of cellular concrete] *Beton i zhelezobeton* – 2010.– No. 1.– pp. 10-13 (in Russian).
16. Rakhimbaev Sh. M., Anikanova T. V. Penobetonnye smesi s uskorennyimi srokami skhvatyvaniya [Foam concrete mix with an accelerated setting time] *Vestnik BGTU im. V. G. Shukhov*. 2012, no. 1, pp. 15–17 (in Russian).
17. Anikanova T. V., Rakhimbaev Sh. M. *Penobetonny dlya intensivnykh tekhnologij stroitel'stva* [Foam concrete intensive construction technologies] Belgorod: BSTU publishing House, 2015. – 128 p (in Russian).

Article 3

Pshenichny G. N., Charikov G. Yu., Arutyunov E. A.

On the additive to cement concretes - calcium chloride

Pshenichny G. N., Cand. tech. Sciences, Charikov G. Yu., Arutyunov E. A., Bachelors, Kuban State Technological University

Keywords: portland cement, concrete, calcium chloride, hardening acceleration, reinforcement corrosion, dump strength, concrete reliability

Abstract

Intermediate experimental results are presented on the refinement of the efficiency of use in the technology of concrete and reinforced concrete hardening accelerator - calcium chloride. One-percent introduction of the additive makes it possible to reduce the initial periods of hardening of concrete in 1,6 ... 1,8 times, increase the turnover of the molds (rigging) and the productivity of the technological process, along with increasing the operational reliability of the final product.

References

1. Moskvina V. M. *Uskorenie tverdenija betona vvedeniem special'nyh dobavok // Tehnologija betona: Sbornik nauchno-issledovatel'skikh rabot*. [Acceleration of concrete hardening by the introduction of special additives. // Concrete technology: Collection of scientific research works] M.-L.: Gosstroyizdat, 1934. –P. 69-107(in Russian).
2. Konorov A. V., Rogachev G. G. *Legkobetonnye bloki i kamni na novom slozhnom vjzhushhem veshhestve // Tehnologija betona: Trudy CNIIPS* [Lightweight concrete blocks and stones on a new complex astringent substance // Concrete Technology: Proceedings of the Central Scientific Research Institute of Construction] M.-L.: ONTI, 1937. – pp. 5-19 (in Russian).
3. Pshenichny G. N. Povtornoje vibrirovanie zatverdevshego betona (ili ob odnoj iz vozmozhnykh prichin nekotorykh avarijnykh situacij). Chast' 2. [Re-vibrating of hardened concrete (or about one of the possible causes of some emergencies). Part 2] *Tehnologija betona*, 2011. –No. 5-6. – pp. 55-57 (in Russian).
4. *Rukovodstvo po primeneniju himicheskikh dobavok v betone / NIIZhB Gosstroja SSSR* [A guide to the use of chemical additives in concrete / NIIZHB Gosstroy USSR] Moscow: Stroizdat, 1980. - 55 p (in Russian).
5. Moskvina V. M. *Uskorenie tverdenija betona vvedeniem special'nyh dobavok / Tehnologija betona. Sb. NIR pod red. B.G. Skramtaeva* [Acceleration of concrete hardening by the introduction of special additives / Concrete technology. Sat. R & D under the editorship of. B.G. Skramtayev] M.-L.: Gosstroyizdat, 1934, pp. 69–107.
6. Pshenichny G. N., Belik A. A., Panfilov S. A. K voprosu o diagnostike portlandcementsa i himicheskikh dobavok // *Tehnologii betonov* [On the diagnosis of portland cement and chemical additives] *Tehnologii betonov*, 2017. –No. 5-6. – P. 48–52.
7. Satalkin A. V., Solntseva V. A. *Uskorenie strukturoobrazovaniya v cementnykh sistemah pri vvedenii special'nyh dobavok // Novoe v himii i tehnologii cementa: Trudy soveshhanija po himii i tehnologii cementa* [Acceleration of the structure formation in cement systems with the introduction of special additives // New in Chemistry and Cement Technology: Proceedings of the Meeting on Chemistry and Cement Technology] M.: Strojizdat, 1962.– pp.148–156.
8. Ramachandran V., Feldman R., Baudouin J. *Nauka o betone. Fiziko-himicheskoe betonovedenie* [The science of concrete. Physico-chemical concrete science] M: Strojizdat, 1986. –278 p.
9. Dobavki. Vyderzhki iz knigi L.I. Dvorkina, O. L. Dvorkina, O. M. Bordjuzhenko i dr. «Prakticheskoe betonovedenie v voprosah i otvetah» [Additives. Excerpts from the book L.I. Dvorkina, O. L. Dvorkina, O. M. Bordjuzhenko, [et al] "Practical Concrete Studies in Questions and Answers"] *Popular Concrete Studies*, 2011. - No. 5 (40). - P. 101–106.
10. Kovaleva I. E., Panina N. S., Golysheva M. N. [at al]. *Cementy dlja betonov i zhelezobetonnykh konstrukcij povyshennoj stojkosti k karbonatnoj agressii* [Cements for concrete and reinforced concrete structures of increased resistance to carbonate aggression] *Popular concrete science*, 2011. - No. 5 (40). - P. 64-69.
11. Gorshkov V. S., Bubenin I. G., Khmelevskaya T. A. O vzaimodejstvii hloristogo kal'cija i gipsa s klinkernymi mineralami i cementami [On the interaction of calcium chloride and gypsum with clinker minerals and cements] M.: *Proceedings of the MHTI after D. I. Mendeleev*, 1961.– Issue. XXXVI, pp. 111–115.
12. Panteleev A. S., Timashev V. V. Ob uskorenii tverdenija betona v uslovijah vibroprokata [On the acceleration of hardening of concrete in conditions of vibroprokata] M.: *Proceedings of the MHTI after D. I. Mendeleev*, 1961. – Issue. XXXVI, pp. 116–128.
13. Pogorelov N. M., Bobrov B. S. Vlijanie himicheskikh dobavok na gidraciju klinkernykh mineralov i cementov v nachal'nye sroki // *Gidracija i tverdenie cementov* [Influence of chemical additives on the hydration of clinker minerals and cements in the initial terms // Hydration and hardening of cements] Chelyabinsk: *Proceedings of the Ural NIIPISM*, 1969. –P. 48–60.
14. Samoylov O. Ya. *Struktura vodnykh rastvorov jelektrolitov i gidracija ionov* [Structure of aqueous solutions of electrolytes and hydration of ions] M.: Izd.AN SSSR, 1957. –182 p.
15. Pshenichny G. N. K voprosu o pilooobraznom haraktere otverdevaniya cementnykh betonov [On the question of sawtooth character of solidification of cement concretes] *Industrial and civil construction*, 2017.– No.2. – pp.50-54.

Article 4

Molchan N. V., Krivoborodov Yu. R., Fertikov V. I.

Intermolecular interactions in two-component oxide systems with SiO₂

Molchan N. V. (nimolchan@mail.ru), Candidate of Pharmaceutical Sciences, Research & Production Center «Pharmaceutical Protection», Khimki, Moscow region; Krivoborodov Yu. R., Doctor of Technical Sciences, prof., D. Mendeleev University of Chemical Technology, Moscow; Fertikov V. I., Candidate of biological Sciences, All-Russia Institute of Light Alloys, Moscow

Keywords: concentration of electrons, density, oxides, structure

Abstract

Calculations of intermolecular interactions in two-component oxide systems with SiO₂ based on the normalized value of the change in the volumes of the reacted components are presented. Calculations were made on the basis of reference data of the densities of substances. Structural characteristics of substances are presented.

References

1. Molchan N. V., Fertikov V. I. Determination of Concentration of Electrons for Description of the Structure of Materials, with Sulfides as an Example. *Journal of Materials Sciences and Applications*, 2015, vol. 1, no. 2, pp. 38-44.
2. Molchan N.V., Fertikov V.I. Kонтсentratsiya ehlektronov kak strukturnaya kharakteristika oksidov [Concentration of electrons as a structural characteristic of oxides]. *Tekhnika i tekhnologiya silikatov*, 2016, vol. 23, no. 2, pp. 8–13 (in Russian).
3. Molchan N. V., Fertikov V. I. Interrelation of Thermodynamic Parameters and Structural Characteristics, with Halides of Groups 1 and 2 Elements as an Example. *American Journal of Chemistry and Application*, 2016, vol. 3, no. 5, pp. 28–32.
4. Molchan N.V., Fertikov V.I. Compressibility of substances and the size of atoms. // *Materials Science*. - 2011, Vol. 171, № 6. - P. 2–6. (in Russian).
5. Molchan N.V., Fertikov V.I. Concentration of electrons and mechanical properties of substances. In the collection: *TestMat - 2013. Collection of reports of the All-Russian Conference on testing and research of material properties*. 2013. P. 9. (in Russian).
6. *Kratkaya entsiklopediya po structure materialov* [Brief encyclopedia on the structure of materials]. Ed. By D. V. Martin. Moscow: Tekhnosfera, 2011, 608 p (in Russian).
7. Sirotkin O. S. *Osnovy innovatsionnogo materialovedeniya* [Fundamentals of materials innovation]. Moscow: INFRA-M, 2011, 158 p (in Russian).
8. Molchan N., Eliseev D., Fertikov V. Control of Nickel Alloy Structural Change by the Atomic Emission Spectroscopy Method. *American Journal of Analytical Chemistry*, 2016, vol. 7, no. 9, pp. 633–641.
9. Molchan N.V., Krivoborodov Yu.R., Fertikov V.I. The interaction of water with oxides, forming hydroxides and crystal hydrates.
10. International Centre for Diffraction Data. *JCPDS PCPDFWIN*, 2002. V. 2.03.
11. *Novyy spravochnik khimika i tekhnologa. Osnovnye svoystva neorganicheskikh, organicheskikh i elementorganicheskikh soedineniy* [The new reference book for chemist and technologist. The basic properties of inorganic, organic and element organic compounds]. St.-Petersburg: Professional, 2007, 1276 p (in Russian).
12. Babichev A. P., Babushkina N. A., Bratkovskiy A. M., et al. *Fizicheskie velichiny: spravochnik* [Physical quantities: reference book]. Ed. by I. S. Grigor'ev, E. Z. Meylikhov. Moscow: Energoatomizdat, 1991, 1232 p (in Russian).

Article 5

Guvalov A. A., Abbasova S. I., Kouznetsova T. V.

Application of natural zeolite in oil-well cement composition

Guvalov A. A. (abbas.guvalov@akkord.az), *Abbasova S. I.*, Azerbaijan Architectural and Construction University, Baku, Azerbaijan Republic; *Kouznetsova T. V.*, Mendeleev University of Chemical Technology of Russia (tkouzn@mail.ru)

Keywords: oil-well cement, mineral additives, zeolite, clinoptilolite, cement stone, strength, slurry

Abstract

The results of testing cement-zeolitic oil-well solutions obtained on the basis of zeolite-bearing rocks of the Aydagh deposit on the basis of clinoptilolite are presented. It is shown that the main advantage of the introduction of clinoptilolite-containing zeolite in the grouting mortar, in comparison with other pozzolans, is not their ability to rapidly setting lime, but to create an increased diffusion activity of the reaction components. It was found that after two years of hardening at a temperature of 750 ° C, the modified cement-zeolite oil-well solution had a strength approximately 2 times greater than the cement-clay composition of the same specific gravity (1.5 g / cm³). Acceleration of the hydrate formation process by the use of zeolite and the improvement of its phase composition make it possible to justify the use of production columns for grouting at temperatures of 20 to 1000°C instead of cement-sandy mixes, relatively heavy and slowly hardening.

References

1. Guvalov A.A., Agayeva S.I. Razrabotka sostava oblegchennykh cementnykh rastvorov s primeneniem ceolita [Development of the composition of lightweight cement solutions with the use of zeolite] *Collection of works of AzISU*, Baku 1997, part I. pages 34–38.
2. Bagirov R. A., Halilov E.H. N. Guvalov A. A. Effektivnost' ispol'zovaniya prirodnogo ceolita v sostave tamponazhnogo cementa [Efficiency of the use of natural zeolite in the composition of cement] *Reports and introductions of the II international Symposium on "problems of ecology and technology in emergency situations*, 8-10 October 2002, Baku-2002, pp. 405-41(in Russian).
3. Sviridov V. L. *Stroitelnye materialy I izdeliya na osnove prirodnnykh ceolitov Sibiri i Dalnego Vostoka: dissertatsiya dokt.teh.nauk:05-23-05* [Building materials and products based on natural zeolites of Siberia and the Far East: the dissertation ... Doc. technical Sciences: 05.23.05] – Barnaul, 2000. – 333p (in Russian).
4. Morozova N.N., Kays Khamza Abdulmalek. O roli prirodnogo ceolita na prochnost melkozernistogo betona [About the role of natural zeolite on the strength of fine-grained concrete] *Kazan Bulletin of Kazan Technological University*, 2016. Pp. 23-29 (in Russian).
5. Kuznetsov V. G., Rechapov D. A. Sravnitelnyy analiz pokazateley tamponazhnogo rastvora i kamnya s ispolzovaniem prirodnogo ceolita, shlama sinteticheskogo ceolita i ceolitovoy dobavki [Comparative analysis of cement mortar and stone using natural zeolite, synthetic zeolite sludge and zeolite additive] *Materials of the Ninth International Scientific and Technical Conference (dedicated to the 100th anniversary of the birth of Protozanova Alexander Konstantinovich) December 10-11, 2014 Volume 1 Drilling and development oil and gas fields* - Tyumen: TyumGNGU, 2014 . – pp. 309-311 (in Russian).
6. Guvalov A.A., Kuznetsova T.V. Organomineralnye dobavki na osnove vulkanicheskogo pepela Dzheyranchelskogo mestorozhdeniya [Organo-mineral additives based on volcanic ash of the Jeyranchel deposit] *Technique and technology of silicates*, 2013. – №1– pp. 39-41(in Russian).
7. Potapova E. N., Krivoborodov Y. R., Kouznetsova T. V., Samchenko S. V. Usage of zeolite and volcanic tuffs at cement production/16th Intrnational Multidisciplinary Scientific Geoconference , Bulgaria, SGEM 2016.– v. II.– pp. 887–894.
8. Krivoborodov, Yu. R. [Tamponazhnye cements for wells with special mining and geological conditions] *Technique and technology of silicates*, 2001.– № 3-4. – pp. 38-43 (in Russian).

Article 6

Samchenko S. V., Hohlov D. S., Markov N. D.

Increase in activity of sols and cements by activation in an aqueous medium

Samchenko S. V. (samchenko@list.ru), *Hohlov D. S.*, *Markov N.D.*, National Research University of Moscow State University of Civil Engineering, Russia

Keywords: ash-cement mixtures, pozzolanic activity, hydration, joint activation

Abstract

The joint activation of the ashes with cement ensures a higher homogenization of the mixture, which results in significant cost savings, because does not require additional equipment for separate activation of materials. Besides, the joint activation of cement and ash significantly increases the strength of samples from cement stone and concrete. Thus, cement stone, obtained on the basis of jointly activated ash and cement, has an increased early strength due to increased pozzolanic activity of ashes and intensive hydration of clinker minerals, and late - due to the active participation of ash in the formation of the structure of cement stone. The obtained results make it possible to use ash and slag wastes more efficiently when obtaining cements and concretes on their basis.

References

1. Tikhonov E.G., Chulkov V.O., Buryak P.V., Bannikov I.S. Sources and intensity of formation of waste and secondary resources in russia. Part 1 // In collection of papers and materials VI International Scientific and Practical Conference. 2016. P. 237-246 (in Russia).
2. Tikhonov E.G., Chulkov V.O., Buryak P.V., Bannikov I.S. Sources and intensity of formation of waste and secondary resources in russia. Part 2// In collection of papers and materials VI International Scientific and Practical Conference. 2016. P. 246-254 (in Russia).
3. Zenkov I.V., Nefedov B.N., Baradulin I.M., Kiryushina E.V., Vokin V.N. Analysis of the trend of using ash and slag in Krasnoyarsk region//Ecology and Industry of Russia. 2015. (2). P. 29-33 (in Russia).
4. Skorokhod M.A., Potapova E.N. Prospects for the introduction of the best available technologies and the transition to integrated environmental permits for the production of cement //Cement and its application. 2015. (5). P. 22-26 (in Russia).

5. Safarov K.B. The Use of Reactive Aggregates for Producing Concretes Resistant to Aggressive Media// Building materials. 2015. (7). P. 17-20 (in Russia).
6. Krivoborodov Yu.R., Burlov A.Yu., Burlov I.Yu. Application of secondary resources for the production of cements // Building materials. 2009. № 2, P. 44-45.
7. Sulimenko LM, Krivoborodov Yu.R., Plotnikov VV, Shalunenko N.I. Mechanoactivation of astringent compositions based on technogenic products // Proceedings of the higher educational institutions. Building. 1998. № 10 (478). Pp. 51-56
8. Bakhrakh, A., Solodov, A., Larsen, O., Naruts, V., Aleksandrova, O., Bulgakov, B. SCC with high volume of fly ash content // MATEC Web of Conferences, 106, № 03016, (2017). DOI: 10.1051/mateconf/201710603016
9. Smolenskiy O.V. The use of ashes ablation of thermoelectric power station in the production of construction materials// Technology of concrete. 2012. V. 1-2 (66-67). P. 10-11. (in Russia)
10. Belyakova E.A., Moskvina R.N., Yurova V.S. Efficiency of waste management of CHP// Education and science in the modern world. Innovation. 2018. (14). P. 181-188 (in Russia).
11. Belyakova E.A., Moskvina R.N., Belyakova V.S. Ash and slag wastes of CHP, and prospects for their utilization// Education and science in the modern world. Innovation 2016. (5). P. 151-157 (in Russia)
12. GOST 10181-2014 Concrete mixtures. Methods of testing.
13. GOST 10180-2012 Concretes. Methods for strength determination using reference specimens.